



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

1250 W Alder St • Union Gap, WA 98903-0009 • (509) 575-2490

**SENT VIA EMAIL**

April 6, 2022

Scatter Creek Resources, LLC  
116 ½ South Washington St.  
Seattle, WA 98104  
Email: [sean@trailsidehomes.com](mailto:sean@trailsidehomes.com)

Re: Water Right No. G4-35248

Dear Scatter Creek Resources, LLC:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

- Scatter Creek Resources, LLC has shown good faith and reasonable diligence through the efforts to obtain permits and approvals through Ecology, and through the engineering and construction of infrastructure such as wells.
- The extension will allow Scatter Creek Resources, LLC more time to adapt to the changing needs of the project and recover from the supply chain disruption caused by the COVID-19 pandemic.

The new deadline to submit your *Construction Notice* is **December 31, 2025**.

Metering and Reporting provisions shall be updated as follows:

**Metering and Reporting**

An approved measuring device must be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173, which describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Recorded water use data shall be submitted via the Internet. To set up an Internet reporting account, contact the Regional Office. If you do not have Internet access, you can still submit hard copies by contacting the Regional Office for forms to submit your water use data."

If you have any questions, please contact Water Resources Help Desk at 509-575-2597.

**YOUR RIGHT TO APPEAL**

You have a right to appeal this Decision to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Decision. The appeal process is governed by chapter 43.21B RCW and chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do all of the following within 30 days of the date of receipt of this Decision:

- File your appeal and a copy of this Decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this Decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in chapter 43.21B RCW and chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION	
Street Addresses	Mailing Addresses
<b>Department of Ecology</b> Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey WA 98503	<b>Department of Ecology</b> Attn: Appeals Processing Desk PO Box 47608 Olympia WA 98504-7608
<b>Pollution Control Hearings Board</b> 1111 Israel Road SW, Ste. 301 Tumwater WA 98501	<b>Pollution Control Hearings Board</b> PO Box 40903 Olympia WA 98504-0903

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>

To find laws and agency rules visit the Washington State Legislature Website: <http://www.leg.wa.gov/CodeReviser>

Sincerely,



Trevor Hutton, Section Manager  
Water Resources Program  
Central Regional Office

TH:AD:aa (220414)  
WRTS No. 4637455

Enclosures: Your Right to Be Heard  
Completion of Construction Notice  
Water Measurement Requirements, Form 1, Form 2, Telemetered Metering Options  
Extensions for Water Right Permits & Change Authorizations

By certified mail: **Sent electronically with read receipt, delivery confirmation/notification**

cc: Phil Rigdon, Yakama Nation – ecc  
Tom McDonald, Cascadia Law – ecc