



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

May 12, 2022

Washington Water Service Co.  
Attn: Carol Bair  
6800 Meridian Road E  
Olympia, WA 98504-4611  
[cbair@wawater.com](mailto:cbair@wawater.com)

Re: Water Right No. **G2-29811**

Dear Carol Bair:

In response to your request, you are hereby granted an extension to file your *Proof of Appropriation* for the reason below:

- The delay is justified, given local development patterns and local economic conditions.
- This water right is issued for 70 gpm and 9 ac-ft for multiple domestic supply from two wells in the Longbranch Highlands Water System. This system consists of a total of five wells and also includes CG2-27723.
- This system is currently approved by the DOH for 22 connections and is currently serving 13. There are three pending connections to this system.
- WWS requests additional time for properties in the service area to be built, connected to the water system.
- The owner of this system has a duty to serve customers in the service area for this water right, regardless of when the owners of the properties choose to build.

The new deadline to submit your *Proof of Appropriation* is **June 1, 2032**.

Ecology will be sending you the appropriate form to complete and return to us when this date approaches.

#### **YOUR RIGHT TO APPEAL**

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:



- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.


**ADDRESS AND LOCATION INFORMATION**

Street Addresses	Mailing Addresses
<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            300 Desmond Drive SE            Lacey, WA 98503</p>	<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            PO Box 47608            Olympia, WA 98504-7608</p>
<p><b>Pollution Control Hearings Board</b>            1111 Israel RD SW            STE 301            Tumwater, WA 98501</p>	<p><b>Pollution Control Hearings Board</b>            PO Box 40903            Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office  
 Website: <http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State  
 Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Tammy Hall at 360-280-8463 or [tammy.hall@ecy.wa.gov](mailto:tammy.hall@ecy.wa.gov)

Sincerely,



Michael J. Gallagher  
 Section Manager  
 SWRO Water Resources

Enclosures: *Your Right to Be Heard*