

June 1, 2022

SEH America Inc  
Attn: Steve Shropshire  
4111 NE 112th Ave  
Vancouver WA 98682  
Steve.Shropshire@jordanramis.com

Re Water Right Permit No. **G2-29391**

Dear Steve Shropshire:

**This document will not be sent in the US mail. In order for Ecology to confirm you received this document, please reply to the email this document was attached to with the following:** *"I have received Ecology's decision via email. This email serves as my response that I am the addressee or their agent, and that the decision has been received and certified mail is not requested."*

In response to your request, the development schedule for the above referenced water right has been extended as follows:

**Begin Construction: December 31, 2027**

Basis of extension approval:

- SEH has pursued their project with reasonable diligence but has not been able to move forward due to unforeseen circumstances in the global silicon wafer market. Over the past few years, the global silicon wafer market has experienced fluctuations. As a result, the planned expansion of the facility has been delayed so water consumption has not increased as quickly as anticipated when the permit was issued. As a result, Well 7 has not been used at full capacity. SEH is currently at roughly 30-35% capacity under the allocated quantity of Well 7 under G2-29391.
- While has developed several well sited and expanded its manufacturing capacity, the original schedule did not account for challenges due to COVID-19 and the decrease in demand. SEH is therefore requesting additional time to develop the allocated water under this permit.

Ecology will be mailing you the appropriate forms when this date approaches. If you have any questions, please contact Tammy Hall at tammy.hall@ecy.wa.gov or (360) 280-8463.

**Your Right To Appeal**

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.


File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            300 Desmond Drive SE            Lacey, WA 98503</p> <p><b>Pollution Control Hearings Board</b>            1111 Israel RD SW Ste 301            Tumwater, WA 98501</p>	<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            PO Box 47608            Olympia, WA 98504-7608</p> <p><b>Pollution Control Hearings Board</b>            PO Box 40903            Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher, Section Manager  
SWRO Water Resources

Enclosures: *Your Right to Be Heard*  
*Construction Notice Form*

cc: Marika E. Sitz, [Marika.Sitz@jordanramis.com](mailto:Marika.Sitz@jordanramis.com)