



**STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY  
Southwest Region Office**

PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

June 28, 2022

Clark Public Utilities  
Attn: John Roth  
PO Box 8900  
Vancouver WA 98668  
jroth@clarkpud.com

Re: Water Right Permit No. **G2-30313**

Dear John Roth:

**This document will not be sent in the US mail. In order for Ecology to confirm you received this document, please reply to the email this document was attached to with the following:** *"I have received Ecology's decision via email. This email serves as my response that I am the addressee or their agent, and that the decision has been received and certified mail is not requested."*

In response to your request, you are hereby granted an extension to file your *Proof of Appropriation* for the reasons below:

- To allow more connections to the Bridge Road Water System. CPU believes the cost of connecting to the system has been a limiting factor for why 12 of the proposed 26 connections have been completed.
- Continued piloting and testing of water treatment systems to determine the most effective and efficient treatment for arsenic removal.

The new deadline to submit your *Proof of Appropriation* is **May 31, 2027**.

Ecology will be sending you the appropriate form to complete and return to us when this date approaches.

If you have any questions, please contact Matthew Kogle at [matthew.kogle@ecy.wa.gov](mailto:matthew.kogle@ecy.wa.gov) or (360) 280-2983.



**Your Right To Appeal**

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.


File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
<p><b>Department of Ecology</b> Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p> <p><b>Pollution Control Hearings Board</b> 1111 Israel RD SW Ste 301 Tumwater, WA 98501</p>	<p><b>Department of Ecology</b> Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p> <p><b>Pollution Control Hearings Board</b> PO Box 40903 Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office  
Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State  
Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher  
SWRO Water Resources Manager

Enclosures: *Your Right to Be Heard*

