

June 1, 2022

SEH America Inc
Attn: Steve Shropshire
4111 NE 112th Ave
Vancouver WA 98682
Steve.Shropshire@jordanramis.com

Re: Water Right Permit No. **G2-30460**

Dear Steve Shropshire:

This document will not be sent in the US mail. In order for Ecology to confirm you received this document, please reply to the email this document was attached to with the following: *"I have received Ecology's decision via email. This email serves as my response that I am the addressee or their agent, and that the decision has been received and certified mail is not requested."*

In response to your request, the development schedule for the above referenced water right has been extended as follows:

Begin Construction: January 1, 2028

Basis of extension approval:

- SEH has pursued their project with reasonable diligence but has not been able to move forward with construction of the three wells authorized under G2-30460 due to unforeseen circumstances in the global silicon wafer market. As a result, the planned expansion of the facility has been delayed so water consumption has not increased as quickly as anticipated when the permit was issued.
- SEH has invested in the ongoing operation and maintenance of their water system to supply current needs. The system will be expanded when the need is apparent and the new wells will be drilled.

The following dates are proposed for the development of this permit:

Completion Construction: January 1, 2029

Proof of Appropriation: January 1, 2034

Ecology will be mailing you the appropriate forms when these dates approach. If you have any questions, please contact Tammy Hall at tammy.hall@ecy.wa.gov or (360) 280-8463.

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.


File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p>	<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p>
<p>Pollution Control Hearings Board 1111 Israel RD SW Ste 301 Tumwater, WA 98501</p>	<p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website:

Sincerely,



Michael J. Gallagher, Section Manager
SWRO Water Resources

Enclosures: *Your Right to Be Heard*
Construction Notice Form

cc: Marika E. Sitz, Marika.Sitz@jordanramis.com