



**STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
Southwest Region Office**

PO Box 47775, Olympia, WA 98504-7775 • 360-407-6300

June 28, 2022

Clark Public Utilities
Attn: John Roth
PO Box 8900
Vancouver WA 98668
jroth@clarkpud.com

Re: Water Right Permit No. **G2-30644** (Well 36) Extension

Dear John Roth:

This document will not be sent in the US mail. In order for Ecology to confirm you received this document, please reply to the email this document was attached to with the following: *"I have received Ecology's decision via email. This email serves as my response that I am the addressee or their agent, and that the decision has been received and certified mail is not requested."*

In response to your request, the development schedule for the above referenced water right has been extended as follows:

Complete Construction: May 31, 2024

Basis of extension approval:

- Budget, permitting, and planning have delayed the construction of the project. Construction is budgeted for 2022.
- Current Covid-19 pandemic has delayed the project.
- Well 36 (AHM-208) was drilled in 2004, although it is not in operation. It is anticipated Well 36 will be operational in 2023.



Conditions of extension:

- Voluntary relinquishment of SWC 3319 prior to May 31, 2024. If it is anticipated construction will not be complete by this time, SWC 3319 shall be placed back into Temporary Trust to avoid potential relinquishment due to non-use.
- Upon completion of construction, *FORM 1 – Measuring Device Information* shall be submitted and an online account for G2-30644 in Ecology’s metering database shall be established.

Ecology will be providing you with the appropriate forms when the new Construction Completion date approaches. If you have any questions, please contact Matthew Kogle at matthew.kogle@ecy.wa.gov or (360) 280-2983.

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. “Date of receipt” is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.

File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.


- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW Ste 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office
Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.



Sincerely,

A handwritten signature in black ink that reads "Michael J. Gallagher". The signature is written in a cursive, flowing style.

Michael J. Gallagher
SWRO Water Resources Manager

Enclosures: *Your Right to Be Heard*
Construction Notice Form
FORM 1 – Measuring Device Information
Voluntary Relinquishment of a Water Right

cc: S2-SWC3319 WRTS File

