

APPLICATION NO./COURT CLAIM NO.		
Water Budget Neutral Request No. G4-35918 with mitigation from Trust Water Right No. CS4-02255(A)CTCL		
APPLICANT NAME Max Ansola	CONTACT Jessica Kuchan	CONTACT'S TELEPHONE NO 206-838-7650
WATER RIGHT HOLDER'S NAME (if different) New Suncadia (Teaway River)		CONTACT'S EMAIL kuchan@mentorlaw.com

DATE OF APPLICATION March 30, 2017

WATER SOURCE: Well	CROP: Lawn and/or noncommercial garden
INSTANTANEOUS QUANTITY: TBD	ANNUAL QUANTITY: 0.414 ac-ft/yr
PERIOD OF USE: Continuous for 1 domestic connection and season irrigation for lawn and/or garden	
PLACE OF USE: Parcel No. 046535, located within the NE¼ of Section 13, T. 21 N., R. 12 E.W.M.	PURPOSE OF USE: Domestic and irrigation of 500 square feet of lawn and/or garden.

<p>CONSUMPTIVE USE CALCULATION:</p> <p>Indoor use: 1 residential connection at 350 gallons per day (gpd) used continuously year round equates to 0.392 ac-ft/yr of water use, or: Consistent with WAC 173-539A-050(3), 30% of domestic in-house use on a septic system is consumptively used, therefore:</p> <p>Indoor consumptive use (CU) = 0.118 ac-ft/yr</p> <p>Outdoor use: The requestor proposes to irrigate 500 ft² of lawn and/or garden. Using a crop irrigation requirement of 18.10 in/yr (or 1.51 ft/yr) for pasture/turf near Cle Elum from the Washington Irrigation Guide and an application efficiency of 80%, the total outdoor irrigation water use is 0.022 ac-ft/yr. Consistent with WAC 173-539A-050(3), 90% of outdoor use is consumptively used, therefore:</p> <p>Outdoor consumptive use = 0.019 ac-ft/yr</p> <p>Total consumptive use = 0.137 ac-ft/yr</p> <p>Contract water = 0.072 ac-ft/yr for the period September 1 to March 31</p>
--

NARRATIVE DESCRIPTION OF PROJECT:

The subject parcel is located near the headwaters of Lodge Creek within the NW¼NW¼ Section 13, T. 21 N., R. 12 E.W.M. The subject well is located within the “yellow” suitability area under the New Suncadia water bank (Trust Water Right CS4-02255(A)CTCL).

The requestor proposes to offset the 0.137 ac-ft/yr of consumptive use for the project (1 residential connection and 500 ft² of lawn and garden) with 0.137 ac-ft/yr of mitigation water acquired from Trust Water Right NoCS4-02255(A)CTCL. 0.072 ac-ft is assigned to the USBR-Ecology Exchange Contract (Contract No. 09XX101700).

Review of the local area hydrogeology suggests that the proposed well will capture water that would otherwise discharge to Kachess Lake and may capture water from Lodge Creek.

WTWG Project form

