

WATER TRANSFER WORKING GROUP PROJECT DESCRIPTION

APPLICATION NO./COURT CLAIM NO.		
Water Budget Neutral Request No. G4-36116 with mitigation from Trust Water Right No. CS4-00714sb2 (Which originally diverted from Fowler Creek)		
APPLICANT NAME Kevin Daoust	CONTACT Peter Price	CONTACT'S TELEPHONE NO 971-344-7055
WATER RIGHT HOLDER'S NAME (if different) Land Lloyd Development		CONTACT'S EMAIL pprice@aspectconsulting.com

DATE OF APPLICATION December 17, 2020
--

WATER SOURCE: Proposed Well	CROP: Lawn and/or noncommercial garden
INSTANTANEOUS QUANTITY: TBD	ANNUAL QUANTITY: 0.414 ac-ft/yr
PERIOD OF USE: Continuous for 1 domestic connection and season irrigation for lawn and/or garden	
PLACE OF USE: Parcel No. 17457, located within the SE $\frac{1}{4}$,NW $\frac{1}{4}$ of Section 3, T. 19 N., R. 14 E.W.M.	PURPOSE OF USE: Domestic and irrigation of 500 square feet of lawn and/or garden.

<p>CONSUMPTIVE USE CALCULATION:</p> <p>Indoor Use: 1 residential connection at 350 gallons per day (gpd) used continuously year round equates to 0.392 ac-ft/yr of water use, or: Consistent with WAC 173-539A-050(3), 30% of domestic in-house use on a septic system is consumptively used, therefore: indoor consumptive use (CU) = 0.118 ac-ft/yr.</p> <p>Outdoor Use: The requestor/applicant proposes to irrigate 500 ft² of lawn and/or garden. Using a crop irrigation requirement of 18.10 in/yr (or 1.51 ft/yr) for pasture/turf near Cle Elum from the Washington Irrigation Guide and an application efficiency of 80%, the total outdoor irrigation water use is ac-ft/yr. Consistent with WAC 173-539A-050(3), 90% of outdoor use is consumptively used, therefore: outdoor consumptive use = ac-ft/yr.</p> <p>Total Consumptive Use = 0.137 ac-ft/yr</p> <p>Exchange Contract Water = 0.059 ac-ft/yr for the period October 1 to March 31</p>

NARRATIVE DESCRIPTION OF PROJECT:

The project is located approximately 0.59 miles from Little Creek in a “yellow” area as noted on Ecology’s current Mitigation Suitability Map (see attached map).

The requestor/applicant proposes to offset the 0.137 ac-ft/yr of consumptive use for the project (1 residential connection and 500 ft² of lawn and garden) with 0.137 ac-ft/yr of mitigation from Trust Water Right No. CS4-00714sb2. Ecology will assign 0.059 ac-ft/yr to the USBR-Ecology Exchange Contract (Contract No. 09XX101700) to address impacts to the Yakima River.

Review of the local area hydrogeology suggests that the proposed withdrawals are anticipated to have down gradient flow impacts to the Fowler/Peterson creek system and Yakima River but will not cause impairment.

WTWG Project form

Location of G4-36116

