The Dep. The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

File Original and First Copy with Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT
STATE OF WASHINGTON

29/03-36N

Application No. .....

Permit No. .....

(1) OWNER: Name Corn Planters Address Clinton Wash. 98236

(2) LOCATION OF WELL: County Island — SW ¼ SW ¼ Sec. 36 T. 29 N., R. 3E W.M.

Bearing and distance from section or subdivision corner 1100' N and 200' E of SW cor sec 36

(3) PROPOSED USE: Domestic ■ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) .....
New well ■ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☐ Driven ☐
Reconditioned ☐ Rotary ■ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 90 ft. Depth of completed well 90 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 75 ft.
Threaded ☐ ..." Diam. from ... ft. to ... ft.
Welded ☐ ..." Diam. from ... ft. to ... ft.

Perforations: Yes ☐ No ■
Type of perforator used .....
SIZE of perforations ... in. by ... in.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.

Screens: Yes ■ No ☐
Manufacturer's Name Cook
Type Stainless Steel Model No. .....
Diam. 6 Slot size 8 from 76 ft. to 90 ft.
Diam. ... Slot size ... from ... ft. to ... ft.

Gravel packed: Yes ☐ No ■ Size of gravel: .....
Gravel placed from ... ft. to ... ft.

Surface seal: Yes ■ No ☐ To what depth? 90 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☐ No ☐
Type of water? ... Depth of strata ...
Method of sealing strata off .....

(7) PUMP: Manufacturer's Name Sta-Rite
Type: Sub. H.P. 1

(8) WATER LEVELS: Land-surface elevation above mean sea level 300 ft.
Static level 25 ft. below top of well Date .....
Artesian pressure ... lbs. per square inch Date .....
Artesian water is controlled by ... (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ■ No ☐ If yes, by whom? Driller
Yield: 14 gal./min. with max ft. drawdown after 1 hrs.
" " " "
" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test .....
Bailer test ... gal./min. with ... ft. drawdown after ... hrs.
Artesian flow ... g.p.m. Date .....
Temperature of water ... Was a chemical analysis made? Yes ☐ No ■

(10) WELL LOG:

Formation: *Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.*

MATERIAL	FROM	TO
Top Soil	0	2
Sand & Clay	2	12
Hard Pan	12	58
Hard Pan & Gravel W W	58	90

RECEIVED JUN 29 1979 DEPT. OF ECOLOGY

Work started 6/19, 19 79. Completed 6/19, 19 ...

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME B&W Drilling Co. (Person, firm, or corporation) (Type or print)

Address P.O. Box 55 Freeland 98249

[Signed] James Miller & Lehman (Well Driller)

License No. 263 Date 6/20, 19 79

(USE ADDITIONAL SHEETS IF NECESSARY)

ECY 050-1-20

29-3E-36N

RECEIVED

DEC 11 2007

DEPT OF ECOLOGY

WASHINGTON STATE DEPARTMENT OF ECOLOGY

Well Tagging Form

Unique Well Tag No: APH 102

RECORD VERIFICATION (check one)

- [x] Well Report available *(please attach this form to the well report and submit it to the Ecology Regional Office near you)*
- [ ] Verification inconclusive
- [ ] Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

First Name: Clifford Last Name: Olin Corn Planters 2-party water system

Street Address: Po Box 53545

City: Bellevue State: WA 98105

LOCATION OF WELL IF DIFFERENT FROM WELL REPORT

Well Address: Parcel ~~R32936~~-068-0320 Heggenes Road

City: Clinton County: Island

29 N. R. 3 E W.M. Sec. 36 SW 1/4 of the SW

FOR AGENCY USE ONLY

Latitude 47 57 . 14641 "

Longitude 122 22 . 55109 "

- [x] GPS
- [ ] Topographic Map
- [ ] Survey
- [ ] Computer generated

Elevation at land surface _____ feet/meters *(circle one)*

- [ ] Digital Altimeter
- [ ] Topographic Map
- [ ] Other _____

Additional information, if available:

- [ ] Location marked on topographic map *(please attach)*
- [ ] Location marked on air photo *(please attach)*

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

6 inch casing inside well house in open field

Location of Well Identification Tag:

Strapped to well casing

Was supplemental tag needed for ease of identifying well? ☐ Yes ☒ No

If yes, where was tag placed?

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Scale 1:24,000 (1"=2,000')

Indicate the location of the well within the Section by drawing a dot at that point.

SECTION 36

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right # _____ Date Issued _____

Circle One: Application Permit Certificate Claim Exempt

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

File Original and First Copy with Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT
STATE OF WASHINGTON

29/03-36N

Application No. .....

Permit No. .....

(1) OWNER: Name Corn Planters Address Clinton Wash. 98236

(2) LOCATION OF WELL: County Island — SW ¼ SW ¼ Sec. 36 T. 29 N., R. 3E W.M.

Bearing and distance from section or subdivision corner 1100' N and 200' E of SW cor sq 36

(3) PROPOSED USE: Domestic ■ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) .....
New well ■ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☐ Driven ☐
Reconditioned ☐ Rotary ■ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 80 ft. Depth of completed well 80 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 75 ft.
Threaded ☐ ..." Diam. from ... ft. to ... ft.
Welded ☐ ..." Diam. from ... ft. to ... ft.

Perforations: Yes ☐ No ■
Type of perforator used .....
SIZE of perforations ... in. by ... in.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.

Screens: Yes ■ No ☐
Manufacturer's Name Cook
Type Stainless Steel Model No. .....
Diam. 6 Slot size 1 from 76 ft. to 80 ft.
Diam. ... Slot size ... from ... ft. to ... ft.

Gravel packed: Yes ☐ No ■ Size of gravel: .....
Gravel placed from ... ft. to ... ft.

Surface seal: Yes ■ No ☐ To what depth? 20 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☐ No ☐
Type of water? ... Depth of strata ...
Method of sealing strata off .....

(7) PUMP: Manufacturer's Name Sta-Rite
Type: Sub. H.P. 1

(8) WATER LEVELS: Land-surface elevation above mean sea level .... 300 ft.
Static level 25 ft. below top of well Date .....
Artesian pressure ... lbs. per square inch Date .....
Artesian water is controlled by ... (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ■ No ☐ If yes, by whom? Driller
Yield: 14 gal./min. with max ft. drawdown after 1 hrs.
" " " "
" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test .....
Bailer test ... gal./min. with ... ft. drawdown after ... hrs.
Artesian flow ... g.p.m. Date .....
Temperature of water ... Was a chemical analysis made? Yes ☐ No ■

(10) WELL LOG:

Formation: *Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.*

MATERIAL	FROM	TO
Top Soil	0	2
Sand + Clay	2	12
Hard Pan	12	58
Hard Pan + Gravel W W	58	80

RECEIVED JUN 29 1979 DEPT. OF ECOLOGY

Work started 6/19, 19 79 Completed 6/19, 19 ..

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME B&W Drilling Co. (Person, firm, or corporation) (Type or print)

Address P.O. Box 55 Freeland 98249

[Signed] James Miller & Laborer (Well Driller)

License No. 263 Date 6/26, 19 79

(USE ADDITIONAL SHEETS IF NECESSARY)

ECY 050-1-20

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Seawater Intrusion Rating 'Low' Risk

WATER WELL REPORT

State of Washington

IC Site ID: 63A
Start Card:
Water Right:

Unique Well ID

(1) OWNER: Name: Corn Planters Address: Clinton WA

(2) LOCATION OF WELL: Island: Whidbey Township/Range-Section: 29N/03E-36N Parcel Number: R32936-068-0320

(2a) Well Address 1100' N & 250' E of SW Corner Sec. 36 PWS-ID: Source: PWS-Name:

(3) PROPOSED USE: Domestic

(4) TYPE OF WORK: Owner's Well Number (if more than one):

New Well Method: Rotary

(5) DIMENSIONS: Diameter of Well: 6 inches.

Drilled: 80 feet. Depth of Completed Well: 80 ft.

(6) CONSTRUCTION DETAILS:

Casing Installed:

Diam. (in)	from	to (ft)
6	0	75

Screens:

Type	Zone	Diam	Slot	from	to (ft)
Stainless Steel	1	6	0.08	75	80

Surface seal:
Material: Bentonite To depth: 30 ft.

(7) PUMP:
Type: Submersible Horsepower: 1

(8) WATER LEVELS: 1 Land-surface elevation (MSL): 300 ft.
AvgWL Elevation: 454 Calc'd Elev: 479 ft.

Earliest Level: 25.00 ft. below toc Date: 19-Jun-79
Lastest Level: 25.00 ft. below toc Date: 19-Jun-79
Average Level: 25.00 ft. below toc Average Date: 19-Jun-79

(9) WELL TESTS:

Type	Yield		Drawdown		After		Date
Pump	14	gpm		feet	1	hours	19-Jun-79

(10) WELL LOG DESCRIPTION:

Material	From BGS	From MSL	Thick
Topsoil	0	479	2
Sand & clay	2	477	10
Hardpan	12	467	46
Hardpan & gravel w.w.	58	421	22
TD	80	399	

Work Completed: 19-Jun-79 TD Elev: 399 ft. MSL

WELL CONSTRUCTOR CERTIFICATION:

Name: B & W Drilling Co.
Address: P.O. Box 55, Freeland, WA 98249
Contractor's Registration Number: BWPUMC152

Remarks:

Location Source: DGPS
North: 351278
East: 1622333
Latitd: 47 57.14641
Longit: 122 22.55109

Max CL:
Max NO3:

Generated by the Island County Hydrogeologic Database: 09-Dec-07

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data. Please report any errors to the Island County Hydrogeologist

GPS Reading



The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.