Well tag id: AGA 855
29/03-11

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.
The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

File Original and First Copy with Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT
STATE OF WASHINGTON

Application No. .....
Permit No. .....

(1) OWNER: Name Bayview School Address P.O. Box 346 Langley WA 9

(2) LOCATION OF WELL: County Island — NW ¼ NW ¼ Sec. 17 T. 29 N., R. 3E W.

Bearing and distance from section or subdivision corner 250' S and 100' E of NW Corner of Sec.

(3) PROPOSED USE: Domestic ☐ Industrial ☐ Municipal ☒ Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) ....
New well ☒ Deepened ☐ Reconditioned ☐
Method: Dug ☐ Bored ☐ Cable ☐ Driven ☐ Rotary ☒ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 100 ft. Depth of completed well 100 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 90 ft.
Threaded ☐ ..." Diam. from ... ft. to ... ft.
Welded ☒ ..." Diam. from ... ft. to ... ft.

Perforations: Yes ☐ No ☒
Type of perforator used ....
SIZE of perforations ... in. by ... in.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.

Screens: Yes ☒ No ☐
Manufacturer's Name Cook
Type Stainless Steel Model No. ....
Diam. 6 Slot size 8 from 90 ft. to 100 ft.
Diam. ... Slot size ... from ... ft. to ... ft.

Gravel packed: Yes ☐ No ☒ Size of gravel: ....
Gravel placed from ... ft. to ... ft.

Surface seal: Yes ☒ No ☐ To what depth? 25 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☐ No ☒
Type of water? .... Depth of strata ....
Method of sealing strata off ....

(7) PUMP: Manufacturer's Name Sta-Rite
Type: Submersible H.P. 1½

(8) WATER LEVELS: Land-surface elevation above mean sea level 75' ft.
Static level 51' 8" ft. below top of well Date ....
Artesian pressure ... lbs. per square inch Date ....
Artesian water is controlled by ... (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? Driller
Yield: 30 gal./min. with 3'4 ft. drawdown after 4 hrs.
" " " "
" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test ....
Bailer test ... gal./min. with ... ft. drawdown after ... hrs.
Artesian flow ... g.p.m. Date ....
Temperature of water ... Was a chemical analysis made? Yes ☒ No ☐

(10) WELL LOG:
Formation: Describe by color, character, size of material and structure, show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation

MATERIAL	FROM	TO
Sand & Gravel Coe	0	4
Sand Hard Pan Coe	4	70
Clay Blue	70	80
Sand Coe	80	100

RECEIVED
FEB 26 2008
DEPT. OF ECOLOGY

Work started 10/14, 19 80 Completed 10/17, 19

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Baw Well Drilling (Person, firm, or corporation) (Type or print)
Address P.O. Box 55 Freeland, Wa.
[Signed] ... (Well Driller)
License No. 264 Date 10/17, 19

(USE ADDITIONAL SHEETS IF NECESSARY)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.
The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WASHINGTON STATE DEPARTMENT OF ECOLOGY

Well Tagging Form

tiff attached to wrong well log in Well log database

Unique Well Tag No: AGA 901 501

RECORD VERIFICATION (check one)

- [ ] Well Report available *(please attach this form to the well report and submit it to the Ecology Regional Office near you)*
- [ ] Verification inconclusive
- [ ] Well Report not available

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

No well log for this water system.

First Name BEACHCOMBER WATER S. 04979-V Last Name

Street Address

City State

LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address CUTHBERT / MASTADON

City County

N R WM Sec 1/4 of the

FOR AGENCY USE ONLY

Latitude

Longitude

- [ ] GPS
- [ ] Topographic Map
- [ ] Survey
- [ ] Computer generated

Elevation at land surface feet/meters *(circle one)*

- [ ] Digital Altimeter
- [ ] Topographic Map
- [ ] Other

Additional information, if available

- [ ] Location marked on topographic map *(please attach)*
- [ ] Location marked on air photo *(please attach)*

RECEIVED
FEB 26 2008
DEPT. OF ECOLOGY

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.
The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

ical Description of well (size of casing, type of well, housing, etc.)

" CASING UNDER SMALL (~3'5) HOUSE ATTACHED TO BACK

TAN
P.H (~20'x 20'x 15') 2 LARGE CONCRETE RES & SRL #1

.L CHAIN LINK FENCED IN

ion of Well identification Tag
ASING

supplemental tag needed for ease of identifying well? ☐ Yes ☒ No

where was tag placed?

C	B	A
F	G	H
L	K	J
P	Q	R

Scale 1 24,000 (1"=2,000')

Indicate the location of the well within the Section by drawing a dot at that point.

SECTION

ENTS

OR ECOLOGY WATER RESOURCES PROGRAM ONLY

ght # Date Issued

RECEIVED
FEB 2 6 2008
DEPT. OF ECOLOGY

ne Application Permit Certificate Claim Exemo

The Dep. The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

29/03-17D

File Original and First Copy with Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Application No. .....

Permit No. .....

(1) OWNER: Name Bayview School Address P.O. Box 346 Langley, Wa. 98260

(2) LOCATION OF WELL: County Island — NW ¼ NW ¼ Sec. 17 T. 25 N., R. 3E W.M.

Bearing and distance from section or subdivision corner 250' S and 100' E of NW Corner of Sec. 17

(3) PROPOSED USE: Domestic ☐ Industrial ☐ Municipal ☒ Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) ....

New well ☒ Deepened ☐ Reconditioned ☐

Method: Dug ☐ Bored ☐ Cable ☐ Driven ☐ Rotary ☒ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.

Drilled 100 ft. Depth of completed well 100 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6 " Diam. from 0 ft. to 90 ft.

Threaded ☐ " Diam. from ft. to ft.

Welded ☒ " Diam. from ft. to ft.

Perforations: Yes ☐ No ☒

Type of perforator used

SIZE of perforations in. by in.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

Screens: Yes ☒ No ☐

Manufacturer's Name Cook

Type Stainless Steel Model No.

Diam. 6 Slot size 9 from 90 ft. to 100 ft.

Diam. Slot size from ft. to ft.

Gravel packed: Yes ☐ No ☒ Size of gravel:

Gravel placed from ft. to ft.

Surface seal: Yes ☒ No ☐ To what depth? 25 ft.

Material used in seal Bentonite

Did any strata contain unusable water? Yes ☐ No ☒

Type of water? Depth of strata

Method of sealing strata off

(7) PUMP: Manufacturer's Name Sta-Rite

Type: Submersible H.P. 1½

(8) WATER LEVELS: Land-surface elevation above mean sea level 75' ft.

Static level 51' 8" ft. below top of well Date

Artesian pressure lbs. per square inch Date

Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? Yes ☒ No ☐ If yes, by whom? Driller

Yield: 30 gal./min. with 3'4 ft. drawdown after 4 hrs.

" " " "

" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? Yes ☒ No ☐

(10) WELL LOG:

Formation: *Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.*

MATERIAL	FROM	TO
Sand & Gravel Coe	0	4
Sand Hard pan Coe	4	70
Clay Blue	70	80
Sand Coe	80	100

Work started 10/14, 1980. Completed 10/17, 1980

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME B&W Well Drilling (Person, firm, or corporation) (Type or print)

Address P.O. Box 55 Freeland, Wa. 98249

[Signed] (Well Driller)

License No. 864 Date 10/17, 1980

(USE ADDITIONAL SHEETS IF NECESSARY)

ECY 050-1-20

WASHINGTON STATE DEPARTMENT OF ECOLOGY

Well Tagging Form

Unique Well Tag No: AGA 901 S01

RECORD VERIFICATION (check ✓ one)

- [ ] Well Report available *(please attach this form to the well report and submit it to the Ecology Regional Office near you)*
- [ ] Verification inconclusive
- [ ] Well Report not available

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name BEACHCOMBER WATCH S. 04979-V Last Name

Street Address

City State

LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address CUTHBERT / MASHADON

City County

N R WM Sec 1/4 of the

FOR AGENCY USE ONLY

Latitude

Longitude

- [ ] GPS
- [ ] Topographic Map
- [ ] Survey
- [ ] Computer generated

Elevation at land surface feet/meters *(circle one)*

- [ ] Digital Altimeter
- [ ] Topographic Map
- [ ] Other

Additional information, if available

- [ ] Location marked on topographic map *(please attach)*
- [ ] Location marked on air photo *(please attach)*

The Dep. The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Dep. The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

ical Description of well (size of casing, type of well, housing, etc.)

" CASING UNDER SMALL (~3'5) HOUSE ATTACHED TO BACK
TAN
P.H (~20'x 20'x 15') 2 LARGE CONCRETE RES & SRC #1
L CHAIN LINK FENCED IN

ion of Well identification Tag
ASING

supplemental tag needed for ease of identifying well? ☐ Yes ☒ No

where was tag placed? _____

C	B	A
F	G	H
L	K	J
P	Q	R

Scale 1 24,000 (1"=2,000')

Indicate the location of the well within the Section by drawing a dot at that point.

SECTION _____

ENTS

OR ECOLOGY WATER RESOURCES PROGRAM ONLY

ght # _____ Date Issued _____

ne Application Permit Certificate Claim Exempt