Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Appl. 10494

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

WELL LOG

Record by Driller

Source Driller's record

Location. State of WASHINGTON

County Island

Area

Map

S½ NW ¼ NE ¼ sec. 3 T. 31 N., R. 2 E ~~W~~

Diagram of Section

Drilling Co. A. G. Keunkel

Address % 1764 A Front St. Lynden, Wn

Method of Drilling driven Date Dec. 29, 1969

Owner John H. Kortlever

Address 1015 Main Street Lynden, Wn. 98264

Land surface, datum 250 ft above ~~below~~

SWL: 220 Date Dec. 1969, 19 Dims. 8" x405'

File number 31/2E-3B

Correlation	Material	From (feet)	To (feet)
	(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)		
	DOMESTIC		
	Hardpan	0	75
	Sand, dry	75	125
	Sand, clayey	125	145
	Clay, yellow	145	165
	Clay, blue	165	265
	Clay and water, silty blue	265	385
	Sand & Water, medium	385	405
	Casing: 0' to 302' (8" diam)		
	302' to 390' (6" diam)		
	Screens: 390' to 395' (No. 20)		
	395' to 405' (No. 18)		
	Pump: Sta-rte-submersible 7½ HP		

Turn up

Sheet ... of ... sheets

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WASHINGTON STATE DEPARTMENT OF ECOLOGY

Well Tagging Form

Unique Well Tag No: **AKY717**

RECORD VERIFICATION (check✓ one)

- [x] Well Report available *(please attach this form to the well report and submit it to the Ecology Regional Office near you)*
- [ ] Verification inconclusive
- [ ] Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

RECEIVED
APR 24 2007
DEPT. OF ECOLOGY

Name: Rockaway Beach Association

Street Address:

City: Seattle State: WA

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: Cool Rd/S8025-00-00007-0

City: Camano Island County: Island

T. 31N R. 02E W.M. Sec. 03 NW 1/4 of the NE 1/4

FOR AGENCY USE ONLY

Latitude: 48 12.46827

Longitude: 122 32.07508

- [x] GPS
- [ ] Topographic Map
- [ ] Survey
- [ ] Computer generated

Elevation at land surface 243 (feet) / meters (circle one)

- [ ] Digital Altimeter
- [ ] Topographic Map
- [x] Other: Computer Generated from DEM and GPS XY Coordinates

Additional Information, if available:

- [ ] Location marked on topographic map *(please attach)*
- [ ] Location marked on air photo *(please attach)*

Tag placed and well GPS'd by: ISLAND COUNTY PUBLIC HEALTH ALWAYS WORKING FOR SAFER AND HEALTHIER COMMUNITIES

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

Pumphouse Is On Right Halfway Down Cool Rd

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well? ☐ Yes ☑ No

If yes, where was tag placed?

D	C	B ●	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 31N/02E-03

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right # Date Issued:

Circle One: Application Permit Certificate Claim Exempt

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Appl. 10494

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

WELL LOG

Record by Driller

Source Driller's record

Location. State of WASHINGTON

County Island

Area

Map

S½ NW ¼ NE ¼ sec. 3 T. 31 N., R. 2 E

Diagram of Section

Drilling Co. A. G. Keunkel

Address % 1764 A Front St. Lynden, Wn

Method of Drilling driven Date Dec. 29, 1969

Owner John H. Kortlever

Address 1015 Main Street Lynden, Wn. 98264

Land surface, datum 250 ft above

SWL: 220 Date Dec. 1969, 19 Dims. 8" x405'

31, 2E, 3B
File number

RECEIVED
APR 24 2007
DEPT. OF ECOLOGY

CORRELATION	MATERIAL	From (feet)	To (feet)
	(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)		
	DOMESTIC		
	Hardpan	0	75
	Sand, dry	75	125
	Sand, clayey	125	145
	Clay, yellow	145	165
	Clay, blue	165	265
	Clay and water, silty blue	265	385
	Sand & Water, medium	385	405
	Casing: 0' to 302' (8" diam)		
	302' to 390' (6" diam)		
	Screens: 390' to 395' (No. 20)		
	395' to 405' (No. 18)		
	Pump: Sta-rte-submersible 7½ HP		

Turn up

Sheet ... of ... sheets