The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Well tag id: AGA934

STATE OF WASHINGTO
DEPARTMENT OF CONSERVATION
AND DEVELOPMENT Appli. #6762

WELL LOG No. 1 Cert. 5044

Date June 12, 1963

Record by Driller

Source Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW ¼ NW ¼ sec. 19 T. 31 N., R. 2 E.

Diagram of Section

31/2E-19D
File number

Drilling Co. Lambert Vander Steep, Whidbey drillers

Address P.O. Box 277, Oak Harbor, Washington

Method of Drilling Date , 19

Owner Admiral's Cove, Inc.

Address 2000 5th Ave. Bldg., Seattle, Washington

Land surface, datum ft. above / below

Correlation	Material	Thickness (feet)	Depth (feet)
	(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)		
	Gravel	0	2
	Hard pan	2	47
	Sandy	47	53
	Hard pan	53	72
	Sand & gravel	72	145
	Water sand	145	197
	Still in water sand at	197	
	Casing: 6" from 0 to 186'		
	No perforations		
	Screened from 187 to 197'		
	Surface seal was provided - no further data		
	SWL: 145' on March 19, 1963		

Turn up

Sheet of sheets

Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

STATE OF WASHINGTO
DEPARTMENT OF CONSERVATION
AND DEVELOPMENT Appli. #6762

WELL LOG No. 1 Cert. 5044

Date June 12, 1963

Record by Driller

Source Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW ¼ NW ¼ sec. 19 T. 31 N., R. 2 E. W.M.

Diagram of Section

Drilling Co. Lambert Vander Steep, Whidbey drillers

Address P.O. Box 277, Oak Harbor, Washington

Method of Drilling Date , 19

Owner Admiral's Cove, Inc.

Address 2000 5th Ave. Bldg., Seattle, Washington

Land surface, datum ft. above below

CORRELATION	MATERIAL	THICKNESS (feet)	DEPTH (feet)
	(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)		
	Gravel	0	2
	Hard pan	2	47
	Sandy	47	53
	Hard pan	53	72
	Sand & gravel	72	145
	Water sand	145	197
	Still in water sand at	197	
	Casing: 6" from 0 to 186'		
	No perforations		
	Screened from 187 to 197'		
	Surface seal was provided - no further data		
	SWL: 145' on March 19, 1963		

Turn up Sheet ... of ... sheets

31/2E-19D
File number

artment of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WELL LOG.—Continued

No...../.. .....-.....

CORRE-LATION	MATERIAL	THICKNESS (feet)	DEPTH (feet)
	Depth forward	——	
	No well test made		