The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Welltagid: AGA539

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
AND DEVELOPMENT

**WELL LOG** No. A.6161

Date 3-23, 19 62

Record by well driller

Source driller's record

*Location:* State of WASHINGTON

County Island

Area

Map

¼ ¼ sec. 36 T. 31 N., R. 2 E. W.

Diagram of Section

*Drilling Co.* A. G. Kounkel

Address Stanwood, Wash.

Method of Drilling Date, 19 54

Owner Dept. of Natural Resources

Address Public Lands Bldg., Olympia

Land surface, datum ft. above below

31/2E-36L
File number

| Correlation | Material | Thickness (feet) | Depth (feet) |
|---|---|---|---|
| | Yellow clay | 10 | 10 |
| | Sandy clay | 30 | 40 |
| | Yellow " | 20 | 60 |
| | Dry Gravel | 31 | 91 |
| | Silty blue clay | 49 | 140 |
| | Hardpan | 4 | 144 |
| | Clayey sand & gravel | 10 | 154 |
| | Coarse sand & gravel | 44 | 197 |
| | PUMP TEST: | | |
| | SWL: 151 ft. | | |
| | DD: | | |
| | Yield: 160 g.p.m. | | |
| | Type & size of pump: Submersible | | |
| | Type & size of motor or engine: 3 h.p. | | |
| | CASING: | | |
| | 8" diam. from 0 to 179 ft. | | |
| | 6" " " 0 to 187 ft. | | |
| | PERFORATIONS: 6" #40 from 187 to 197' | | |

(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)

Turn up

Sheet ... of ... sheets

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

**WELL LOG.**—Continued No...../.....-.....

| CORRELATION | MATERIAL | THICKNESS (feet) | DEPTH (feet) |
|---|---|---|---|
| | Depth forward | ——— | |
| | PERFORATIONS: | | |
| | 6" #40 from 187 to 197 ft. | | |

artment of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

STATE OF WASHINGTO.
DEPARTMENT OF CONSERVATION
AND DEVELOPMENT

**WELL LOG** No. A.6161

Date 3-23, 19 62

Record by well driller

Source driller's record




Diagram of Section

*Location:* State of WASHINGTON

County Island

Area

Map

¼ ¼ sec. 36 T. 31 N., R. 2 E. ~~W~~

*Drilling Co.* A. G. Kounkel

Address Stanwood, Wash.

Method of Drilling Date , 19 54

Owner Dept. of Natural Resources

Address Public Lands Bldg., Olympia

Land surface, datum ft. above / below

31 12E 36L
File number

| CORRELATION | MATERIAL | THICKNESS (feet) | DEPTH (feet) |
|---|---|---|---|
| | (Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.) | | |
| | Yellow clay | 10 | 10 |
| | Sandy clay | 30 | 40 |
| | Yellow " | 20 | 60 |
| | Dry Gravel | 31 | 91 |
| | Silty blue clay | 49 | 140 |
| | Hardpan | 4 | 144 |
| | Clayey sand & gravel | 10 | 154 |
| | Coarse sand & gravel | 44 | 197 |
| | PUMP TEST: | | |
| | SWL: 151 ft. | | |
| | DD: | | |
| | Yield: 160 g.p.m. | | |
| | Type & size of pump: Submersible | | |
| | Type & size of motor or engine: 3 h.p. | | |
| | CASING: | | |
| | 8" diam. from 0 to 179 ft. | | |
| | 6" " " 0 to 187 ft. | | |
| | PERFORATIONS: 6" #40 from 187 to 197' | | |

Turn up Sheet ... of ... sheets

partment of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

**WELL LOG.**—Continued No...../.....-.....

| CORRE-LATION | MATERIAL | THICKNESS (feet) | DEPTH (feet) |
|---|---|---|---|
| | Depth forward | ——— | |
| | PERFORATIONS: | | |
| | 6" #40 from 187 to 197 ft. | | |