GWP 10632

App # 11305
Per # 10632

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES GWC 7649

WELL LOG

Record by Driller

Source Driller's Record

Location State of WASHINGTON

County Island

Area Camano Is., WA

Map

SW ¼ NW ¼ sec. 7 T. 31 N., R 3 E W

Diagram of Section

Drilling Co. Koumkel Drilling

Address Box 216, Stanwood, WA 98292

Method of Drilling Date 7-31 to 8-15, 19 69

Owner Driftwood Shores Water System Inc.

Address Rt. 4, Box 88, Camano Is., WA

Land surface, datum 60 ft. above ~~below~~ Sea Level

SWL: 57 Date 8-15, 1969 Dims. 8" X 201'

31 N 3E 7E
File number

CORRELATION	MATERIAL	From (feet)	To (feet)
	(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)		
	Gravel	0	15
	Hardpan	15	70
	Clayey Sand	70	85
	Clay, Blue	85	105
	Silt (little water)	105	125
	Clay, Blue	125	185
	Gravel, Clayey	185	190
	Gravel & Water	190	201
	Casing: 8" from 0 to 191'		
	Screens: Johnson, Stainless Steel		
	Diam. 6, Slot size 20 from 191' to 201'		
	Pump: Meyers, Submersible, 3 HP		
	Well Test: 50 gpm, 100' DD, 4 Hr.		

Turn up

Sheet of sheets

of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WELL LOG.—Continued No..... .... /.....-.....

CORRE-LATION	MATERIAL		From (feet)	To (feet)
		Depth forward	——	
	Recovery Data			
	0 min - 157'			
	0.5 - 100'			
	0.10 - 75'			
	0.15 - 57'			
	Temp H_2O - 50°			
	Chem. Analysis - Yes			
	Surface seal -	0-10'	-Mud	

S. F. No. 7449—OS—12-65.

WASHINGTON STATE DEPARTMENT OF ECOLOGY

Well Tagging Form

-01

Unique Well Tag No: AGA728

RECORD VERIFICATION (check one)

- [ ] Well Report available *(please attach this form to the well report and submit it to the Ecology Regional Office near you)*
- [ ] Verification inconclusive
- [ ] Well Report not available

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name: DRIFTW. SH. W.S. INC 2000.2 Last Name:

Street Address:

City: State:

LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address: NW CORNER OF WATERLINE LOOP

City: County:

T. N. R. W.M. Sec. 1/4 of the

FOR AGENCY USE ONLY

Latitude

Longitude

- [ ] GPS
- [ ] Topographic Map
- [ ] Survey
- [ ] Computer generated

Elevation at land surface feet/meters *(circle one)*

- [ ] Digital Altimeter
- [ ] Topographic Map
- [ ] Other

Additional information, if available:

- [ ] Location marked on topographic map *(please attach)*
- [ ] Location marked on air photo *(please attach)*

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

hysical Description of well (size of casing, type of well, housing, etc.)

2" CASING EXPOSED W/GREEN CAP IN BACK OF METAL SHED (OFFWHITE W/BLUE TRIM) (~40' x 30' x 15')

cation of Well identification Tag:

s supplemental tag needed for ease of identifying well? ☐ Yes ☑ No

s, where was tag placed?

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Scale 1:24,000 (1"=2,000')

Indicate the location of the well within the Section by drawing a dot at that point.

SECTION

MMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Right # Date Issued

One: Application Permit Certificate Claim Exempt

the Division of Water Resources
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT
STATE OF WASHINGTON

Amended

Application No. ...
Permit No. ...

(1) OWNER: Name Driftwood Shores (W.A) Address ...

(2) LOCATION OF WELL: County ... ¼ ... ¼ Sec 07 T. 31 N., R. 3 W.M. (E)

Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic ☐ Industrial ☐ Municipal ☒ Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) ...
New well ☒ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☒ Driven ☐
Reconditioned ☐ Rotary ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 8 inches.
Drilled 201 ft. Depth of completed well 201 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 8" Diam. from 0 ft. to 191 ft.
Threaded ☐ ..." Diam. from ... ft. to ... ft.
Welded ☒ ..." Diam. from ... ft. to ... ft.

Perforations: Yes ☐ No ☒
Type of perforator used ...
SIZE of perforations ... in. by ... in.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.
... perforations from ... ft. to ... ft.

Screens: Yes ☒ No ☐
Manufacturer's Name Johnson
Type SS Model No. 304
Diam. ~~20 Slot size 191~~ from ... ft. to ... ft.
Diam. 8 Slot size 20 from 191 ft. to 201 ft.

Gravel packed: Yes ☐ No ☒ Size of gravel: ...
Gravel placed from ... ft. to ... ft.

Surface seal: Yes ☒ No ☐ To what depth? 20 ft.
Material used in seal Mud
Did any strata contain unusable water? Yes ☐ No ☒
Type of water? ... Depth of strata ...
Method of sealing strata off ...

(7) PUMP: Manufacturer's Name ...
Type: ... H.P. ...

(8) WATER LEVELS: Land-surface elevation above mean sea level ... 60 ft.
Static level 57 ft. below top of well Date 8/15/69
Artesian pressure ... lbs. per square inch Date ...
Artesian water is controlled by ... (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? Driller
Yield: 50 gal./min. with 103 ft. drawdown after 4 hrs.
" " " "
" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test 8/15/69
Bailer test ... gal./min. with ... ft. drawdown after ... hrs.
Artesian flow ... g.p.m. Date ...
Temperature of water 50 Was a chemical analysis made? Yes ☐ No ☒

(10) WELL LOG:

Formation: *Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.*

MATERIAL	FROM	TO
gravel	0	15
hard pan	15	70
Clayey Sand	70	85
blue clay	85	105
Silt & water	105	125
Blue clay	125	185
Clay & gravel & water	185	190
gravel & water	190	201

Copy [illegible] 4.9.01

Work started 7/31, 1969 Completed 8/15, 1969

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Kounkel Well Drilling (Person, firm, or corporation) (Type or print)

Address 797 N Smith Rd Camanos Wa 98292

[Signed] A. J. Kounkel (Well Driller)

License No. 247 Date 8/3, 1976

(USE ADDITIONAL SHEETS IF NECESSARY)

S. F. No. 7356—(Rev. 2-66)—2-66—5M 45 48112912228 4701

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.