The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Appli - 9197
Perm - 8550

Well tag id: AGA973

CEO# 7421

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

WELL LOG

Record by Driller

Source Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW ¼ NE ¼ sec 25 T. 32 N., R 1 XXX W.

Diagram of Section

Drilling Co. Whidbey Drillers

Address P.O. Box 277, Oak Harbor, Wash. 98277

Method of Drilling Cable Date June 1, 1968

Owner A. J. McMillan

Address Route 1, Box 431, Coupeville, Wash.

Land surface, datum ft. above/below

SWL: 233 Date Apr 6, 1968 Dims. 8" x 313'

32 IW 25B
File number

Correlation	Material	From (feet)	To (feet)
	(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)		
	Community, domestic		
	Hardpan, gravely	0	23
	Sand, gravel	23	73
	Clay, sand	73	90
	Sand	90	193
	Clay, sandy	193	210
	Sand, water	210	217
	Clay	217	245
	Clay, sandy	245	250
	Sand, water	250	259
	Clay	259	270
	Sand, water	270	280
	Clay	280	292
	Sand, water	292	313
	Clay	313	

Turn up over Sheet ... of ... sheets

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WELL LOG.—Continued No...../.....-.....

CORRE-LATION	MATERIAL	From (feet)	To (feet)
	Depth forward	———	
	Casing: 8" from 0' to 398'		
	Screen installed from 198' to	208'	
	from 208' to	313'	
	Yield: 150 gpm w/40' DD after	24 hours	
	Pump: Berkely, submersible, 10	H.P.	

S. F. No. 7449—OS—12-65.

artment of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Appli - 9197
Perm - 8550

CEO# 7421

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
DIVISION OF WATER RESOURCES

WELL LOG

Record by Driller

Source Driller's Record

Location: State of WASHINGTON

County Island

Area

Map

NW ¼ NE ¼ sec 25 T. 32 N., R 1 XXX W.

Diagram of Section

Drilling Co. Whidbey Drillers

Address P.O. Box 277, Oak Harbor, Wash. 98277

Method of Drilling Cable Date June 1, 19 68

Owner A. J. McMillan

Address Route 1, Box 431, Coupeville, Wash.

Land surface, datum ft. above/below

SWL: 233 Date Apr 6, 19 68 Dims. 8" x 313'

32 / 1W 25 B
File number

CORRELATION	MATERIAL	From (feet)	To (feet)
	(Transcribe driller's terminology literally but paraphrase as necessary, in parentheses If material water-bearing, so state and record static level if reported Give depths in feet below land-surface datum unless otherwise indicated Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.)		
	Community, domestic		
	Hardpan, gravely	0	23
	Sand, gravel	23	73
	Clay, sand	73	90
	Sand	90	193
	Clay, sandy	193	210
	Sand, water	210	217
	Clay	217	245
	Clay, sandy	245	250
	Sand, water	250	259
	Clay	259	270
	Sand, water	270	280
	Clay	280	292
	Sand, water	292	313
	Clay	313	

Turn up over Sheet ... of ... sheets

partment of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WELL LOG.—Continued No...../.....-.....

CORRE-LATION	MATERIAL	From (feet)	To (feet)
	Depth forward	———	
	Casing: 8" from 0' to 398'		
	Screen installed from 198' to	208'	
	from 208' to	313'	
	Yield: 150 gpm w/40' DD after	24 hours	
	Pump: Berkely, submersible, 10	H.P.	

S. F. No. 7449—OS—12-65.