The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

File Original and First Copy with Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy c/o Greb Gilles

WATER WELL REPORT

STATE OF WASHINGTON

ENTERED

Start Card No. 006459
UNIQUE WELL I.D. # S#130
Water Right Permit No. 29-3E-27A

(1) OWNER: Name Drummuir Association Address 3620 E Drummuir Rd Clinton WA

(2) LOCATION OF WELL: County Island 1/4 NW 1/4 Sec 27 T. 29 N., R. 3E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 3620 E Drummuir Rd Clinton WA 98236

(3) PROPOSED USE: ☑ Domestic ☐ Irrigation ☐ DeWater Industrial ☐ Test Well ☐ Municipal ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (If more than one) 2
Abandoned ☐ New well ☑ Deepened ☐ Reconditioned ☐ Method: Dug ☐ Cable ☑ Rotary ☐ Bored ☐ Driven ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 277 feet. Depth of completed well 277 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" Diam. from 0 ft. to 267 ft.
Welded ☑ " Diam. from ft. to ft.
Liner installed ☐ " Diam. from ft. to ft.
Threaded ☐

Perforations: Yes ☐ No ☑
Type of perforator used
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: Yes ☒ No ☐
Manufacturer's Name UESCO
Type SS Weld Model No.
Diam. 6 Slot size 12 from 267 ft. to 277 ft.
Diam. Slot size from ft. to ft.

Gravel packed: Yes ☐ No ☑ Size of gravel
Gravel placed from ft. to ft.

Surface seal: Yes ☒ No ☐ To what depth? 20 ft.
Material used in seal Benotite
Did any strata contain unusable water? Yes ☑ No ☐
Type of water? Seepage Depth of strata Layers
Method of sealing strata off Casing

(7) PUMP: Manufacturer's Name Meyers
Type: Submersible H.P. 1.5

(8) WATER LEVELS: Land-surface elevation above mean sea level 270 ft.
Static level 241 ft. below top of well Date 6/10/99
Artesian pressure N/A lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☑ No ☐ If yes, by whom? Driller
Yield: 15 gal./min. with 4 ft. drawdown after 1 hrs.
" " " "
" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level
0	245	1 min	241		

Date of test 6/10/99
Bailer test 15 gal./min. with 4 ft. drawdown after 1 hrs.
Airtest gal./min. with stem set at ft. for hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes ☐ No ☑

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
TOP SOIL	0	1
CLAY + SAND GRAY	1	55
WATER SAND GRAY	55	58
LAYER CLAY + SAND GRAY	58	245
SAND WW GRAY	245	277

RECEIVED
JUN 22 1999
DEPT OF ECOLOGY

Work Started 5/30/99, 19. Completed 6/10, 1999

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Bob's Well Drilling (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)
Address 6104 S. Maxwelton Rd Clinton
(Signed) Joe [signature] (WELL DRILLER) License No. 0264
Contractor's Registration No. BOBBS101JW Date 6/15, 1999

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-6006.

ECY 050-1-20 (9/93) * * f

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WASHINGTON STATE DEPARTMENT OF ECOLOGY

Well Tagging Form

Unique Well Tag No: **ACS130**

RECORD VERIFICATION (check✓ one)

- [✓] Well Report available *(please attach this form to the well report and submit it to the Ecology Regional Office near you)*
- [ ] Verification inconclusive
- [ ] Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

RECEIVED
APR 0 5 2007
DEPT. OF ECOLOGY

Name: Drummuir Water System

Street Address: 6475 S MAXWELTON RD

City: CLINTON State: WA

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: 3696 E. Drummuir/R32927-425-0250

City: Clinton County: Island

T. 29N R. 03E W.M. Sec. 27 NW 1/4 of the NW 1/4

FOR AGENCY USE ONLY

Latitude: 47 58.54087

Longitude: 122 24.90393

- [✓] GPS
- [ ] Topographic Map
- [ ] Survey
- [ ] Computer generated

Elevation at land surface 249 (feet) / meters (circle one)

- [ ] Digital Altimeter
- [ ] Topographic Map
- [✓] Other: Computer Generated from DEM and GPS XY Coordinates

Additional Information, if available:

- [ ] Location marked on topographic map *(please attach)*
- [ ] Location marked on air photo *(please attach)*

Tag placed and well GPS'd by: ISLAND COUNTY PUBLIC HEALTH ALWAYS WORKING FOR SAFER AND HEALTHIER COMMUNITIES

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

Drummuir Well #2 Is Behind Pumphouse With Blue Cap.

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well? ☐ Yes ☑ No

If yes, where was tag placed?

D ●	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 29N/03E-27

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right # Date Issued:

Circle One: Application Permit Certificate Claim Exempt

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

File Original and First Copy with Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

ENTERED

Application No. 064459
Unique Well I.D. No. BSF130
Water Right Permit No. 29-3E-27 CE EE

c/o Greg Gilles

(1) OWNER: Name Drummuir Association Address 3620 E Drummuir Rd Clinton WA

(2) LOCATION OF WELL: County Island — 1/4 NW 1/4 Sec 27 T. 29 N. R. 3E WM.

(2a) STREET ADDRESS OF WELL (or nearest address) 3620 E Drummuir Rd Clinton WA 98236

(3) PROPOSED USE: ☑ Domestic ☐ Irrigation ☐ DeWater ☐ Industrial ☐ Test Well ☐ Municipal ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) 2
Abandoned ☐ New well ☑ Deepened ☐ Reconditioned ☐
Method: Dug ☐ Cable ☑ Rotary ☐ Bored ☐ Driven ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 277 feet. Depth of completed well 277 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" Diam. from 0 ft. to 267 ft.
Welded ☑ 6" Diam. from ft. to ft.
Liner installed ☐ Threaded ☐ " Diam. from ft. to ft.

Perforations: Yes ☐ No ☑
Type of perforator used
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: Yes ☑ No ☐
Manufacturer's Name UESCO
Type SS wire Model No.
Diam. 6 Slot size 12 from 267 ft. to 277 ft.
Diam. Slot size from ft. to ft.

Gravel packed: Yes ☐ No ☑ Size of gravel
Gravel placed from ft. to ft.

Surface seal: Yes ☑ No ☐ To what depth? 20 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☑ No ☐
Type of water? Seepage Depth of strata Layers
Method of sealing strata off Casing

(7) PUMP: Manufacturer's Name Meyers
Type: Submersible H.P. 1.5

(8) WATER LEVELS: Land-surface elevation above mean sea level 270 ft.
Static level 24 ft. below top of well Date 6/16/99
Artesian pressure N/A lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☑ No ☐ If yes, by whom? Driller
Yield: 15 gal./min. with 4 ft. drawdown after 1 hrs.
" " " "
" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level
0	245	1 min	241		

Date of test 6/16/99
Bailer test 15 gal./min. with 4 ft. drawdown after 1 hrs.
Airtest gal./min. with stem set at ft. for hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes ☐ No ☑

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
Top Soil	0	1
Clay & Sand Gray	1	55
Water Sand Gray	55	58
Layer Clay & Sand Gray	58	245
Sand w/w Gray	245	277

RECEIVED
APR 05 2007
DEPT. OF ECOLOGY

RECEIVED
JUN 22 1999
DEPT OF ECOLOGY

Work Started 5/30/99 19. Completed 6/16 19 99

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Bob's Well Drilling (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)
Address 6104 S. Maxwelton Rd
(Signed) Joe [illegible] (WELL DRILLER) License No. 0264
Contractor's Registration No. BOBBSIDSU Date 6/15 19 99

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-6006.

ECY 050-1-20 (9/93)